EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	US-20070161409-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 11:44
L2	8	US-20020169891-$.DID. OR US-6525676-$.DID. OR US-6813344-$.DID. OR US-7257583-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 11:44
L3	1	"12353682"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:54
L4	2	US-20070161409-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 11:56
L5	16	US-5082005-$.DID. OR US-7401435-$.DID. OR US-2233896-$.DID. OR JP-2002055899-$.DID. OR JP-2000353044-$.DID. OR JP-2003141143-$.DID. OR JP-0207908-$.DID. OR JP-0083241-$.DID. OR US-20020025031-$.DID. OR JP-2001292043-$.DID. OR JP-2001243-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 11:58
L6	1	("2002/0025031").URPN.	USPAT	OR	OFF	2009/07/13 11:59
L7	8305	(NUMBER NUMERIC NUMERAL) WITH (CONVERS$4 CONVERT$4) WITH (WORDS LETTERS ALPHABET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:01

L8	149237	"455"/.CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:01
L9	289	7 AND 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:01
L10	235	((NUMBER NUMERIC NUMERAL) WITH (CONVERS$4 CONVERT$4) WITH (WORDS LETTERS ALPHABET)) SAME DATABASE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:01
L11	15	9 AND 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:01
L12	689	(NUMBER NUMERIC NUMERAL) ADJ6 (CONVERS$4 CONVERT$4) ADJ6 (WORDS LETTERS ALPHABET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:02
L13	73	(NUMBER NUMERIC NUMERAL) ADJ6 (CONVERS$4 CONVERT$4) ADJ6 (WORDS LETTERS ALPHABET) SAME DATABASE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:02
L14	10	8 AND 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:02
L15	63	13 NOT 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:06
L16	32	(FULL SAME PARTIAL SAME PREFIX SAME SEARCH$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:12

L17	1	7 AND 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:13
L18	1	8 AND 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:13
L19	1	16 AND ((NUMBER NUMERIC NUMERAL) ADJ6 (CONVERS$4 CONVERT $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:13
L20	66	(FULL NEAR5 SEARCH$4) and (Partial$2 near5 search $4) and ((prefix suffix) near5 search$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:16
L21	55	20 not 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:16
L22	22	((NUMBER NUMERIC NUMERAL) WITH (CONVERS$4 CONVERT $4)) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 12:18
L23	16	US-5710922-$.DID. OR US-5761485-$.DID. OR US-5765168-$.DID. OR US-5956048-$.DID. OR US-5960411-$.DID. OR US-6449627-$.DID. OR US-6529920-$.DID. OR US-7103848-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 12:20
L24	10	US-20070118533-$.DID. OR US-7287068-$.DID. OR US-20010037328-$.DID. OR US-20050222977-$.DID. OR US-6313828-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 12:21

L35	6	US-20030054841-$.DID. OR US-20050143137-$.DID. OR US-6961590-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 12:30
L36	8	US-20020052196-$.DID. OR US-20040018852-$.DID. OR US-4555501-$.DID. OR US-20040248621-$.DID. OR US-455566D-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 12:31
L39	213	(operator user) with search $4 with (partial$2 with (full complete))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:42
L40	0	(operator user) with search $4 with (partial$2 with (full complete)) with prefix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:42
L41	78	(operator user) with search $4 with (partial$2 with (full complete)) and prefix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:42
L42	19	(operator user) with search $4 with (partial$2 with (full complete)) and (search$4 with prefix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:44
L43	0	(partial$2 same full same search$4 same prefix).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:45
L44	4	(partial$2 same full$1 same search$4 same prefix).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:46
L45	90	(partial$2 same full$1 same search$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:46

L46	60	(partial$2 with full$1 with search$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:47
L47	0	46 and (sasaki near5 koji)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:47
L48	0	46 and sasaki	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:47
L49	1575	prefix near4 search$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:48
L50	414	(user with select$4)and 49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:48
L51	68	(prefix near4 search$4) and ((full$1 complete) near4 search$4) and (partial$2 near4 search$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:49
L52	24	(user with select$4)and 51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:49
L53	12	"11207581"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:50
L54	4	(operator user) near5 (select$4 choos$4) near5 (complete full$2) near5 search$4 near5 (partial$2 prefix suffix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:55

L55	14	(operator user) near5 (select$4 choos$4) with (complete full$2) near5 search$4 near5 (partial$2 prefix suffix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:56
L56	14	55 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:57
L57	11	55 not 54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:57
L58	58	(select$4 choos$4) with (complete full$2) near5 search$4 near5 (partial$2 prefix suffix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:58
L59	1	option with (select$4 choos $4) with (complete full$2) near5 search$4 near5 (partial$2 prefix suffix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:59
L60	4	option with (complete full $2) near5 search$4 near5 (partial$2 prefix suffix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 13:59
L61	17	option with (complete full $2) with search$4 with (partial$2 prefix suffix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 14:00
L62	534787	option 61 not 60with (complete full$2) with search$4 with (partial$2 prefix suffix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 14:00
L63	13	61 not 60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 14:00

L64	115	((criteria type option) near3 search$4) same (complete full$2) with search$4 with (partial$2 prefix suffix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 14:01
L65	6067	search$4 near3 operator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:06
L66	4	search$4 near3 operator with different with parameter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:06
L68	2	search$4 near3 operator with pound	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:07
L69	373	search$4 near3 operator with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:07
L70	213	search$4 near3 operator near3 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:08
L71	9	search$4 near3 operator near3 key with parameter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:08
L72	364	((partial$2 prefix) near3 search$4) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:10
L73	56	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) same key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:10

L74	1	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) with (glyph symbol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:11
L75	0	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) same (asterisk pound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:12
L76	1	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) same (star asterisk pound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:12
L77	0	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) same shortcut	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:13
L78	497	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:13
L79	2	78 and ((shortcut short$1cut) near3 key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:13
L80	13	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) same custom$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:13
L81	0	((partial$2 prefix) near3 search$4) with shortcut	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:17
L82	188	((partial$2 prefix) near3 search$4) with (predetermined)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:18

L83	30	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) same predetermined	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:18
L84	294	((partial$2 prefix) near3 search$4) near5 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:20
L85	29	(((partial$2 prefix) near3 search$4) near5 key) and (((full$2 complete) near3 search$4) near5 key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:20
L86	2	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) same wildcard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:22
L87	44	((partial$2 prefix) near3 search$4) same ((full$2 complete) near3 search$4) same function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:23
L88	5189	operator near3 search	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:26
L89	165	operator near3 search near3 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:26
L90	5387	(wildcard symbol) near5 search$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:52
L91	76	(wildcard symbol) near5 search$4 near5 numeric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:52

L92	7	(special near3 character) with parameter with search $4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:58
L93	60	(special near3 character) with search with string	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 15:59
L94	118	((special hidden) near3 (operator symbol character)) with (numeric search) with string	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:02
L95	123	search near3 string near4 operator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:17
L96	1	numeric near4 search near3 string near4 operator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:17
L97	149237	"455"/.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:18
L98	1	95 and 97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:18
L99	46	95 and (partial$2) and (full $2 complete)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:18
L100	0	95 same (partial$2) same (full$2 complete)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:19

L101	7	95 and ((partial$2) same (full$2 complete) same search$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:19
L102	5	numeric near4 search near4 operator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:20
L103	67	numeric near4 string near4 operator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:21
L104	1	103 and ((partial$2) same (full$2 complete) same search$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:21
L105	267	search near3 result near5 exceed$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:26
L106	68	search near3 result near5 exceed$4 near5 display$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:26
L107	1	"10589729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 16:27
L108	15	search near3 result near5 exceed$4 near5 display$4 near5 number	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:28
L109	167	(character symbol operator) near3 add$4 near5 string near5 (location geographic$3 area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:41

L110	10	(character symbol operator) near3 add$4 near5 (number numeric numeral numerical) near6 string near5 (location geographic$3 area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:42
L111	1	special near5 (character symbol operator) near3 add $4 near5 string near5 (location geographic$3 area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:43
L112	33	special near5 (character symbol operator) near3 add $4 near5 string	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 16:43
L113	8	special near5 (character symbol operator) near3 add $4 near5 search$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 17:00
L114	181	(character symbol operator) near3 add$4 near5 string near5 search $4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 17:01
L115	31	114 and ((full$2 complete) near2 search$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 17:01
L116	0	("2004/0015498").URPN.	USPAT	OR	OFF	2009/07/13 17:04

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L25	0	(assingment same relationsip).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:26
L26	0	(assignment same relationsip).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:26
L27	400	(assignment same relationship).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:26
L28	1828	(numerical same convert $4).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:26
L29	1	27 and 28	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:26

L30	33648	((number numeric numerical) same (convers$4 convert$4)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:27
L31	26728	((number numeric numerical) with (convers$4 convert$4)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:27
L32	0	(search$4 with database) and (full$2 and parial$2 and prefix)	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:28
L33	4072	(search$4 with database) and (full$2 and partial$2 and prefix)	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:28
L34	15	31 and 33	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:28
L37	89	sasaki near3 koji	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:35
L38	4	37 and (assignment near3 relationship)	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/13 12:36

7/13/2009 6:06:14 PM
C:\ Documents and Settings\ mmapa\ My Documents\ EAST\ Workspaces\ 10589729 MOBILE TELEPHONE AND MOBILE TELEPHONE NETWORK CONNECTION SYSTEM.wsp